

PRODUCT DATA SHEET

NORGLASS LABORATORIES PTY.LTD. A.B.N. 92 001 807 245 P.O. Box 312, Neutral Bay. NSW 2089 Australia 59 Moxon Road, Punchbowl NSW

Ph: 61 2 9708 2200 Fax: 61 2 9796 3069 Email: norglass@bigpond.net.au www.norglass.com.au



LIQUID GLASS COLOURANTS

- **DESCRIPTION:** A liquid dye in a range of 5 colours: Red, Black, Blue, Green & Yellow.
- **USES:** An additive to Liquid Glass to change the colour.

PROPERTIES (at 20°C)

COLOUR:	5 Colours: Red, Black, Blue, Green, Yellow
TOXICITY:	See Precautions
FINISH:	N/A
COVERAGE:	Varies, but no more than 25ml should be used with 750ml of liquid glass.
DRYING TIME:	See Liquid Glass PDS
RECOATING:	N/A
POT LIFE:	N/A
MIXING RATIO:	No more than 25ml to be added to 750ml of Liquid glass
THINNING:	N/A
WEIGHT/LITRE:	0.797
VOLUME SOLIDS:	N/A
FLASH POINT:	11°C
CLEAN UP:	NORCLEAN-PLUS
U.N. NUMBER:	1170

PREPARATION/ APPLICATION:	Take off twist cap and carefully remove shipping seal. Replace twist cap lid. Shake bottle well before every use. Pour a measured amount of liquid glass base into a clean, clear glass container. Slowly add the amount of colourant required. Note: No more than 25ml of colourant should be added to 750ml of Liquid Glass. Amount required depends on the shade you are after, please note adding the clear hardener reduces the colour intensity. Stir slowly but thoroughly. Now add the required hardener and again stir through thoroughly. The curing time will be extended by approx 10 minutes by adding the colourant. Colourants can be intermixed to produce your own custom colours. It is recommended you experiment with a small sample batch first to confirm your desired colour. Keep notes on your mixes in case you need to replicate the colour at a later date.
TRANSPORTATION:	Hazchem 2[Y] E P.G. II Dangerous goods class 3.2 SIZES: 50ml bottles
PRECAUTIONS:	HIGHLY FLAMMABLE: Ensure adequate ventilation when using. DO NOT SMOKE. Keep away from spark producing switches, pilot lights or naked flame. Do not inhale. Keep bottle sealed when not in use. Mild skin irritant. Some allergic reactions can occur. If this happens cease using immediately and consult a doctor. Wear protective clothing at all times.
FIRST AID:	If poisoning occurs call a doctor or Poisons Information Centre (Aust) on 13 11 26 or (NZ) 0800 764 766 and have label information ready. If swallowed DO NOT induce vomiting. Give large quantities of water or milk. In case of eye contact, flush immediately with plenty of water for at least 15 minutes and consult a doctor. Remove contact lenses if present and east to do and continue rinsing. In case of skin contact, remove contaminated clothing and wash skin thoroughly. If breathing difficulty arises remove to fresh air. Apply artificial respiration if not breathing.
SPECIAL INSTRUCTIONS:	N/A

Refer to the Norglass information guide on Liquid Glass Applications for additional advice and the S.D.S on the product before using.

Any advice, recommendation, information, assistance or service provided by **NORGLASS** in relation to goods manufactured or supplied by it or their use and application is given in good faith and is believed by NORGLASS to be appropriate and reliable. However, any advice, recommendation, information, assistance or service provided by **NORGLASS** is given without liability or responsibility.