



pureco

premium, australian, eco friendly paints & finishes

# PRODUCT USER GUIDE

BY



CAPRIOLE  
CREATIVE



# PRODUCTS MADE FOR YOU

PURECO Products are created with premium Australian ingredients of the highest calibre, making it effortless to achieve quality professional finishes!

Our Silk Finish Paint is well known for its gorgeous flawless finish.

Perfect for achieving elegant styles like Hamptons, MCM contemporary, Scandanavian and Art Deco

Our Chalk Finish Paint contains some clay making it perfect for blending and textured styles such as Rustic, French Country, Shabby Chic, Bohemian and Coastal.

Our range of complimentary and decorative products like our Stain & Glaze, Texture Finish, Crackle & Rust Finish are all developed to work with both paint styles, and will take your creativity to the next level.



# PREPARATION IS KEY!



We have several products to facilitate proper preparation to ensure a long lasting and beautiful finish.

## LEMON MYRTLE CLEANER

All natural, eco concentrate soap, toxin & sensitiser free, Palm Oil & Phosphate free. Perfect for cleaning furniture or paint & wax brushes.

- For brush cleaning - rinse out any excess paint. Use 1/2 pump into wet hand & scrub in circular motion. Rinse well.
- For furniture cleaning - use 1 to 2 pumps into clean water in a bucket, bowl or spray bottle, wipe over with soft damp cloth or for deep cleaning our sanding sponges can be used.
- Wipe off residue with a clean damp cloth, wipe dry with clean lint-free cloth after, ensure product is fully dry before painting.
- Grey water & septic safe.

## ECO STRIPPER

User-friendly paint stripper, low odour, safer than the caustic and methylene chloride based paint strippers, citrus odour and can be cleaned up with water.

For stripping and removing paint, graffiti and for general industrial clean up.

- Apply appropriate PPE i.e. gloves, goggles. Always test patch to see if product is appropriate. Always stir well before use.
- Apply a thick coat (0.5mm to 1.0mm thick) by brush or roller.
- Immediately cover with sheets of plastic (e.g. old shopping bags, used drop sheet, plat based plastic wrap), leave for about 20 mins while applying to the next, adjacent area. Time needed may vary dependent on number of coats and age of coating



## ECO STRIPPER (CONT...)

- Gradually peel back the plastic and remove the softened paint and residue with a broad paint scraper. We suggest plastic scrapers but metal is fine if gently used.
- Wash the surface with a scourer and allow to dry. Repeat if necessary.
- Surface is now ready for sanding and re-painting.
- Soap & water clean up.
- Remove contaminated clothing and wash before reuse.

## SANDING SPONGES

Our Wet & Dry Sanding Sponges come in pack of 4. Sponges make it easy to sand around curves and easy on your hands making them perfect for furniture. Wash with water to rejuvenate your sanding sponge!

- Preparation Pack - 2 x 80 grit & 2 x 120 grit
- Multi Pack - 80, 120, 220, & 320 grit
- Polish Pack - 2 x 220 grit & 2 x 320 grit

## BASE & BLOCKER

Adhesion primer for our Silk Finish, mild to medium level tannin blocker, no nasty odours, gives you beautiful base coat to start your project.

- Use our B&B under whites & pastels to brighten the colours and help cut down coats needed to achieve opaque white coverage.
- Use our grey B&B under brights & darks to help the colours pop.
- We recommend using B&B under our Silk Finish to increase adhesion.
- If tannin bleed is present, leave B&B overnight and do test patches with your paint to check if still appears. Repeat if necessary







*"Art is anything you can get away with"* - ANDY WARHOL

## CHALK FINISH PAINT

Our Chalk Finish is a matte, velvety chalk & clay paint. The perfect choice for blending, vintage shabby chic, distressed and rustic textured looks.

- Prep - Clean, Rinse & Scuff Sand. Chalk Finish will adhere to wood, metal, plastic, glass, etc with little prep.
- Do a patch test if you think tannin bleed may happen, apply BASE & BLOCKER leaving overnight to hold back any bleed through.
- Apply using a brush, roller or spray gun.

- Stir or shake jar and start painting!
- For a smooth finish, spritz with water and use a synthetic brush in long even strokes.
- For textured finish, use crisscross, pouncing actions with a thick bristled brush. You can leave your jar open for a period of time to thicken the paint to create texture.
- Allow to dry - touch dry 30 mins/recoat 4 hours
- Cure time - 14-21 days in even 25°C
- Once dry, Chalk Finish will appear lighter, but the actual color will come back once sealed. This is due to the clay components in the paint. The clay also allows the paint to be blended beautifully when using multiple colours.
- Chalk Finish can be sealed with our BEESWAX POSLISH, LIQUID WAX. our CLEAR SEALERS, HEMP OIL, STAIN & GLAZE and DECORATIVE SEALERS.
- Water clean up





## SILK FINISH PAINT

Our Silk Finish is 100% washable, self-levelling with a sublime sateen sheen finish. Perfect for elegant, sophisticated modern looks.

- Prep - Clean, Rinse, Scuff Sand and Prime with our BASE & BLOCKER
- Stir or shake jar and start painting!
- Lay off your paint and then feather out to smooth. If paint thickens, you can add 10% water without altering the sealing properties.
- Dry times - touch 30 mins, re-coat 1-2 hours.



- Silk Finish Paint darkens as it dries, but will not change colour if a sealer is added.
- You can add decorative elements or add additional sealing with our LIQUID WAX using the wet sanding method, our CLEAR SEALERS, STAIN & GLAZE and DECORATIVE SEALERS.
- Water clean up.
- Cure Time - 14-21 days in even 25°C

*"Creativity is the greatest rebellion in existence" - OSHO*





We have so many amazing products to help you achieve the most gorgeous finish on your projects.

## CLEAR SEALERS

Our sealers are designed to be used over our Chalk & Silk Paints and raw timber. Can also be used to seal before and after transfers, used to adhere decoupage papers and wallpaper to furniture.

They can also be tinted with any of our paints and used as glaze.

Sheen Levels - Matte \* Satin \*\* Semi Gloss \*\*\* Gloss \*\*\*\*

- Apply once your paint has dried.
- Can be applied with a brush, roller, sprayed or applicator sponge.
- Stir or Shake jar and apply Sealer.
- If you feel it drags, you can add 10% water without altering the sealing properties.
- Apply in smooth, long strokes taking care to wipe or brush over corners to smooth any bumps of accumulated sealer.
- Second coat can be applied after 4 hours.
- 100% washable and water clean up.

## GLITTER & PEARL SEALER

Perfect for adding extra shimmer and sparkle to your pieces, can be tinted using any of our paints, can be dry-brushed or used as a glaze to highlight details.

- Apply as you would our sealers or stain and glaze.
- For best results, use smooth long strokes in one single direction.

NOW FOR THE FINISH!



## BEESWAX POLISH & LIQUID WAX

100% natural, polishes and protects all surfaces.

- Leave your paint to dry overnight.
- Apply with a brush or lint-free cloth.
- Once applied, leave to be absorbed for about 2-4 hours, buff with a soft brush or lint-free cloth.
- Surface should be smooth not sticky to touch once buffed. Additional coats can be applied as desired.
- Our coloured waxes can be used alone and if applied to heavy, clear wax can be used to erase and pull back the coloured wax.



- Liquid wax is a softer version of our beeswax polish and can be used in the same way or to wet sand your surface just apply with 1000 grit sandpaper in circular action. This will give your surface a ceramic smooth finish.

## BEESWAX POLISH

- Scents - French Pear & Lemon Myrtle
- Colours - Clear, White, Dark, Black, Pearl, Pewter

## LIQUID WAX

- Citrus scented
- Colours - Clear, White, Dark & Black







## CRACKLE FINISH

Creates an aged weathered finish in one easy step.

- Paint your surface in any colour in either Silk or Chalk finish and allow to dry, do not wax. This will be the colour that shows through the cracks.
- Stir or Shake well.
- Apply a coat of crackle whenever you want cracks to appear, thin coats will produce smaller fine cracks and thicker coats produce larger cracks.
- Allow to dry completely before applying your next layer of paint, this layer will be the one that cracks.
- Be careful not to drag or over work this coat of paint as it will smear the crackle, use a soft brush with light coats.
- Cracks will appear after 30 mins, can be repeated if you like.
- Leave to dry over night before sealing. (not require if using Silk Finish)

## TEXTURE FINISH

Achieve smooth or rough texture perfect for beach weathered encrusted salt and grungy looks.

- Can be added to our Chalk or Silk Finish.
- Add 1 or 2 scoops to your paint, depending on the thickness of texture required. Once mixed you can add more paint or texture to your mix to thicken or soften.
- Apply with a brush, pallet knife, scaper, anything to create texture looks. Will not alter after paint colour.
- Can be used to fill screw holes and raised stencils, mix to smooth paste.
- Allow to dry overnight before painting over or sealing. Easily sanded.
- As it is a fine powder, please wear PPE. Water wash up, do not allow to harden on your brush.





Chic n' Shabby ~





pureco

premium, australian, eco friendly paints & finishes

AUSTRALIAN COMPANY - POWERED BY WOMEN

*People before profit*

PRODUCTS TO UPDATE AND  
DECORATE YOUR FURNITURE  
AND DECOR

It's easier than you think!

PREMIUM QUALITY | ECO FRIENDLY | NO VOC

*#PaintWithPureJoy*